


Introduction


Griffith has introduced MFA to ensure the security of your information by adding an additional layer of authentication to your Single Sign-On. PingID is the MFA tool used by Griffith. This guide shows how to install and setup MFA on a Mac computer as an additional device.

Set up MFA on an additional device - Mac computer


- 1 Login to MyGriffith at <https://my.griffith.edu.au> using your Griffith credentials.




- 2 When the **Authentication** screen opens > select **Settings**.




- 3 The **My Devices** page will open listing devices currently paired with your PingID account. To set up an additional device, select **+Add**.




- 4 Select **Continue**.



- 5 An **Authentication** window will display > enter the PingID password (computers) or authenticate on your phone.



- 6 Select **Desktop** from **Other Authentication Methods**




- 7 Select **PingID Download for Mac OS.**




- 8 Open the **PingID.pkg** download file to launch the package.




- A. To **install PingID**, select **Continue**.




B. Read the **Software Licence Agreement**, select **Continue**.




C. Select a destination for installation, select **Continue**.




D. To agree to the terms of the **Software Licence Agreement**, select **Agree**.




E. Select **Install**.




F. If you are prompted to sign in to approve the install, enter your details, select **Install Software**.



- G. Once installation is completed successfully, select **Close**.



- 9 Copy the **pairing key** from the **Desktop Setup** browser window.



- 10 Paste the **pairing key** into the **PingID** window, select **Pair**. Setup is now completed.

